



ERRATUM

In the manuscript “Diet of *Psalidodon aff. fasciatus* (Cuvier, 1819) (Teleostei: Characidae) in a neotropical river before reservoir formation” DOI: <https://doi.org/10.20950/1678-2305/bip.2022.48.e728>, published in Fonseca et al., Bol. Inst. Pesca 2022, 48: e728, on pages 5 and 7:

Page 5, figure 2

Where it reads:

Figure 2. Accumulation curve of the number of diet items that occurred as the number of analyzed stomachs increased for 536 individuals of *Psalidodon aff. fasciatus* from Tibagi River, Paraná, Brazil, collected from October 2017 to July 2019.

It should read:

Figure 2. Costello diagram, as modified by Amundsen et al. (1996), showing the relationships between the number of items (i.e., prey richness, PI) and the frequency of occurrence (FO) of items in the diet of *Psalidodon aff. fasciatus* from five sites in Tibagi River, Paraná, Brazil. (A) spring; (B) summer; (C) autumn; (D) winter.

Page 7, figure 3

Where it reads:

Figure 3. Costello diagram, as modified by Amundsen et al. (1996), showing the relationships between the number of items (i.e., prey richness, PI) and the frequency of occurrence (FO) of items in the diet of *Psalidodon aff. fasciatus* from five sites in Tibagi River, Paraná, Brazil. (A) spring; (B) summer; (C) autumn; (D) winter.

It should read:

Figure 3. Accumulation curve of the number of diet items that occurred as the number of analyzed stomachs increased for 536 individuals of *Psalidodon aff. fasciatus* from Tibagi River, Paraná, Brazil, collected from October 2017 to July 2019.